

Clinical Trial	Trial Length	Number of Patients on Risperdal	Reports of Gynecomastia	Gynecomastia Rate
NED-9 (12/1996)	10 weeks	19	0	0%
BEL-22 (2/1995)	4 weeks	7	0	0%
BEL-24 (6/1994)	4 weeks	6	0	0%
INT-41 (7/2001)	1 year	504	24	4.8%
USA-93 (10/98)	7 weeks	55	0	0%
USA-97 (9/1999)	1 year	107	1	0.9%
CAN-19 (7/1999)	7 weeks	53	0	0%
CAN-20 (8/2000)	1 year	77	0	0%
USA-150 (4/2001)	8 weeks	49	1	2%
CAN-23 (12/2001)	8 weeks	41	0	0%
HUN-4 (1/2003)	2 years	(918) 35	0	(2.79%) 0%
INT-70 (8/2002)	1 year	48	3	6%
USA-231 (3/2006)	8 weeks	279	2	0.7%
USA-234 (3/2006)	6 months	297	4	1%
INT-79 (9/2003)	9 months	527	8	1.5%
INT-84 (7/2004)	1 year	232	2	0.8%
BIM-301 (12/2005)	3 weeks	111	0	0%
SCH-302 (12/2005)	6 weeks	106	0	0%

Source: C-29

EXHIBIT

Date:

17

M.L. GRAY, CSR, RPR

EXHIBIT

Date:

17th

M.L. GRAY, CSR, RPR

PLAINTIFF'S
EXHIBIT
17A